UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/470,329	12/22/1999	BRIAN R. BENNETT	884.174US1	6018

21186   7590   11/16/2004

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. BOX 2938
MINNEAPOLIS, MN 55402

EXAMINER
TRAN, DENISE

ART UNIT	PAPER NUMBER
2186	

15

DATE MAILED: 11/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 10/03)

Office Action Summary	Application No. 09/470,329	Applicant(s) BENNETT ET AL.
	Examiner Denise Tran	Art Unit 2186

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
   Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on _26 August 2004_.

2a)☐ This action is **FINAL**.   2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) _1-21_ is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) _1-21_ is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on _22 December 1999_ is/are: a)☒ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
   Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
   Paper No(s)/Mail Date. _____ .

5)☐ Notice of Informal Patent Application (PTO-152)

6)☐ Other: _____.

DETAILED ACTION

1.   A request for continued examination under 37 CFR 1.114, including the fee set

forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this

application is eligible for continued examination under 37 CFR 1.114, and the fee set

forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action

has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8/26/04

has been entered.

2.   The applicant's amendment filed 8/26/04 has been considered. Claims 1-21 are

presented for examination.

3.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

4.   Claims 1-2, 4-5 and 7-8 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Gilbert et al., U.S. Patent No. 6,041,376 (hereinafter Gilbert) in view

of Arimilli et al., U.S. Patent No. 6,138,218 (hereinafter Arimilli).

As per claim 1, Gilbert shows a method in multiprocessor system (e.g. figs. 1-2

and 6-8C), the method comprising:

identifying a first bus transaction that attempts to modify a shared resource (e.g. fig. 7, el. 76, col. 7, line 5 and col. 9, lines 48-52);

setting a status flag to indicate that a bus transaction attempting to modify the shared resource is pending (e.g., fig. 8C, el. 110; and col. 9, line 63-65 and col. 11, lines 9-20); and

retrying each subsequent nonmodifying bus transaction for the shared resource until the status flag is cleared (e.g. fig. 8C, els. 114-118 and 122; and col. 11, lines 9-20 and col. 9, lines 14-18).

Gilbert does not specifically show the use of the status flag as a bit and preventing live-lock. Arimilli shows the use of a flag as a bit (e.g. col. 3, lines 8-12; and figure 3, element 318 and col. 8, lines 36-44) and preventing live-lock (e.g., col. 2, lines 43-50 and col. 3, lines 1-3). It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the teaching of Arimilli to the teaching of Gilbert because it would provide for the storage of the flag (i.e., maintaining the integrity of the flag), minimizing the storage requirements of the system by using a bit, especially when the flag is used to show the use of one state or the other (i.e., two states) and allow other traffic to proceed and alleviate the prospect of a live-lock as taught by Arimilli, col. 3, lines 1-3.

As per claim 7, Gilbert shows the use of a method in a multiprocessor system, the method comprising (e.g. figures 1-2 and 6-8C):

issuing a first bus transaction that attempts to modify a cache line (fig. 6, el. 50;

fig. 7, el. 76; and col. 7, line 5 and col. 9, lines 48-52);

setting a status flag to indicate that a bus transaction attempting to modify the

cache line is pending (e.g., fig. 8C, el. 110; and col. 9, line 63-65 and col. 11, lines 9-20)

issuing a second bus transaction to read the cache line (e.g., fig. 8C, el. 112 and

col. 9, lines 16-18);

retrying the second bus transaction if the status flag is set (e.g. fig. 8C, els. 114-

116));

reissuing the first bus transaction that attempts to modify the cache line (e.g., fig.

8C, el. 120 and col. 11, lines 20);

granting the cache line for the reissued first bus transaction if the status flag is

set for the cache line (e.g., fig. 8C, el. 122 and col. 11, lines 9-21).

Gilbert does not specifically show the use of the status flag as a bit and

preventing live-lock. Arimilli shows the use of a flag as a bit (e.g. col. 3, lines 8-12; and

figure 3, element 318 and col. 8, lines 36-44) and preventing live-lock (e.g., col. 2, lines

43-50 and col. 3, lines 1-3). It would have been obvious to one of ordinary skill in the art

at the time the invention was made to apply the teaching of Arimilli to the teaching of

Gilbert because it would provide for the storage of the flag (i.e., maintaining the integrity

of the flag), minimizing the storage requirements of the system by using a bit, especially

when the flag is used to show the use of one state or the other (i.e., two states) and

allow other traffic to proceed and alleviate the prospect of a live-lock as taught by

Arimilli, col. 3, lines 1-3.

As per claims 2 and 8, Gilbert teaches clearing the status flag when the reissued first bus transaction completes (e.g., fig. 8C, el. 122). As stated above, Gilbert does not specifically show the use of the status flag as a bit. Arimilli shows the use of a flag as a bit (e.g. col. 3, lines 8-12; and figure 3, element 318 and col. 8, lines 36-44). It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the teaching of Arimilli to the teaching of Gilbert because it would provide for the storage of the flag (i.e., maintaining the integrity of the flag), minimizing the storage requirements of the system by using a bit, especially when the flag is used to show the use of one state or the other (i.e., two states) and allow other traffic to proceed and alleviate the prospect of a live-lock as taught by Arimilli col. 3, lines 1-3.

As per claim 4, Gilbert shows the use of clearing the status flag at periodic intervals (e.g., fig. 8C, el. 124). As stated above, Gilbert does not specifically show the use of the status flag as a bit. Arimilli shows the use of a flag as a bit (e.g. col. 3, lines 8-12; and figure 3, element 318 and col. 8, lines 36-44). It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the teaching of Arimilli to the teaching of Gilbert because it would provide for the storage of the flag (i.e., maintaining the integrity of the flag), minimizing the storage requirements of the system by using a bit, especially when the flag is used to show the use of one state or the other (i.e., two states) and allow other traffic to proceed and alleviate the prospect of a live-lock as taught by Arimilli, col. 3, lines 1-3.

As per claim 5, Gilbert shows the use of clearing the status flag at periodic intervals (e.g., fig. 8C, el. 124) and a given period of time can be any desired value (e.g., col. 11, lines 29-44). As stated above, Gilbert does not specifically show the use of the status flag as a bit. Arimilli shows the use of a flag as a bit (e.g. col. 3, lines 8-12; and figure 3, element 318 and col. 8, lines 36-44. It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the teaching of Arimilli to the teaching of Gilbert because it would provide for the storage of the flag (i.e., maintaining the integrity of the flag), minimizing the storage requirements of the system by using a bit, especially when the flag is used to show the use of one state or the other (i.e., two states) and allow other traffic to proceed and alleviate the prospect of a live-lock as taught by Arimilli, col. 3, lines 1-3.

Gilbert does not explicitly show periodical intervals being longer than a length of time for a bus transaction to complete. "Official Notice" is taken that both the concept and advantage of having periodical intervals being longer than a length of time for a bus transaction to complete are well known and expected in the art. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the periodical intervals are longer than a length of time for a bus transaction to complete because it would allow sufficient time to finish the transaction and reduce the number of retry requests, thereby improving the system performance.

5.   Claims 3, 6, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Gilbert et al., U.S. Patent No. 6,041,376, (hereinafter Gilbert) in view of Arimilli et

al., U.S. Patent No. 6,138,218 (hereinafter Arimilli), as applied to claims 1 and 7 above,

and further in view of Donley et al., U.S. Patent No. 5,761,446 (hereinafter Donley).

As per claims 3, 6, and 9, Gilbert shows the use of clearing the status flag by a

counter where the counter can be any desired value (e.g., col. 11, lines 29-44). As

stated above, Gilbert does not specifically show the use of the status flag as a bit.

Arimilli shows the use of a flag as a bit (e.g. col. 3, lines 8-12; and figure 3, element 318

and col. 8, lines 36-44). It would have been obvious to one of ordinary skill in the art at

the time the invention was made to apply the teaching of Arimilli to the teaching of

Gilbert because it would provide for the storage of the flag (i.e., maintaining the integrity

of the flag), minimizing the storage requirements of the system by using a bit, especially

when the flag is used to show the use of one state or the other (i.e., two states) and

allow other traffic to proceed and alleviate the prospect of a live-lock as taught by

Arimilli, col. 3, lines 1-3.

Gilbert and Arimilli do not specifically show the use of randomly or pseudo-

randomly. Donley shows generating random number or Pseudo- random number (e.g.,

col. 3, lines 46-60). It would have been obvious to one of ordinary skill in the art, at the

time the invention was made, to apply the teaching of Donley to the combine system of

Gilbert and Arimilli because it would provide a random delay time, thereby optimizing

live-lock avoidance and system performance as taught by Donley, col. 2, lines 61-63.

6.   Claims 10-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Vogt et al., U.S. Patent No. 5,897,656, (hereinafter Vogt) in view of Gilbert et al., U.S.

Patent No. 6,041,376) (hereinafter Gilbert).

As per claim 10, Vogt shows the use of a multiprocessor computer system

comprising:

a plurality of processors (e.g., fig. 1, els. 112);

a resource shared by the plurality of processors (e.g., fig.1, el. 132);

at least one system bus interconnecting the shared resource and the plurality of

processors (e.g., fig.1, el. 102);

a plurality of buffers, each one of the plurality of buffers associated with a bus

transaction initiated on the at least one system bus by one of the processors (e.g. figure

2, elements 208 and 210 and figure 5A, els 500 and fig. 6; and col. 25, line 54 to col. 26,

line 27); and

a status indicator associated with each of the plurality of buffers (e.g. col. 26,

lines 16-27; col. 28, lines 24-26), and a first one of the processors initiates a bus

transaction attempting to modify the shared resource and the bus transaction is retried

(e.g., col. 25, lines 61-64; and col. 27, lines 32-45).

Vogt does not specifically show the status indicator to indicate when a first one of

the processors initiates a bus transaction attempting to modify the shared resource.

Gilbert shows the use of a status indicator to indicate when a first one of the processors

initiates a bus transaction attempting to modify the shared resource (e.g., fig. 8C, el.

110; col. 9, line 63-65 and col. 11, lines 9-20; and fig. 7, el. 76; col. 7, line 5 and col. 9,

lines 48-52). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Gilbert with Vogt because it would provide guaranteed forward progress of processor requests for data by preventing other processors from accessing data until the processor request is satisfied as taught by Gilbert col.2, lines 41-50.

As per claim 11, Vogt shows the use of four processors are coupled to each one of the system buses (e.g. figure 1, elements 112a-d and additional processors interpreted as at least four; and col. 16, lines 50-57).

As per claim 12, Vogt shows the use of at least one system bus comprises two processor buses (e.g. figure 1, elements 102 and 104).

As per claim 13, Vogt shows the use of four processors coupled to each one of the two processor buses (e.g. figure 1, elements 102, 104 and 112a-d and additional processors interpreted as at least four; and col. 16, lines 50-57.

As per claim 14, Vogt shows the use of an input/output bus (e.g. figure 1, element 106).

As per claim 15, Vogt shows the use of a multiple bus, multiprocessor computer system (e.g., fig. 1, els 102, 104, and 112) comprising:

a plurality of processors (fig. 1, els. 112);

a plurality of data cache memories (e.g. fig. 1, els. 114);

a system memory shared by the plurality of processors (e.g. fig. 1, el. 132);

at least two buses interconnecting the system memory with the plurality of data

cache memories and the plurality of processors (e.g. fig. 1, els. 102 and 104); and

a controller (e.g. fig. 1, el. 130) comprising:

a plurality of buffers, each one of the plurality of buffers associated with a

bus transaction initiated on one of the buses by one of the processors (e.g. fig. 2, els.

208 and 210 and fig. 5A, els. 500 and fig. 6; and col. 25, line 54 to col. 26, line 27); and

a status indicator associated with each of the plurality of buffers (e.g. col.

26, lines 16-27; col. 28, lines 24-26), and a first one of the processors initiates a bus

transaction attempting to modify the system memory and the bus transaction is retried

(e.g., col. 25, lines 61-64; and col. 27, lines 32-45).

Vogt does not specifically show the status indicator to indicate when a first one of

the processors initiates a bus transaction attempting to modify the shared resource.

Gilbert shows the use of a status indicator to indicate when a first one of the processors

initiates a bus transaction attempting to modify the system memory (e.g., fig. 8C, el.

110; col. 9, line 63-65 and col. 11, lines 9-20; and fig. 7, el. 76; col. 7, line 5 and col. 9,

lines 48-52). It would have been obvious to one of ordinary skill in the art at the time the

invention was made to combine Gilbert with Vogt because it would provide guaranteed

forward progress of processor requests for data by preventing other processors from

accessing data until the processor request is satisfied as taught by Gilbert col.2, lines

41-50.

As per claim 16, Vogt shows each one of the at least two buses is coupled to four

of the processors (e.g. figure 1, elements 102, 104 and 112a-d and additional

processors interpreted as at least four; and col. 16, lines 50-57).

As per claim 17, Vogt shows the use of an integrated circuit (e.g., fig. 2, el. 130

and col. 18, lines 43-46) comprising:

a bus interface to control a plurality of bus transactions (e.g. fig. 1, el. 204);

a coherency module to maintain cache coherency for a plurality of cache lines

(e.g., fig. 2, el. 200); and

a buffer manager (e.g., fig. 2, el. 210) comprising,

a plurality of buffers (e.g. fig. 5A, els. 500), each one of the buffers

to store information associated with one of the plurality of bus transactions received by

the bus interface (e.g. fig. 5A, els. 500 and col. 26, lines 7-27); and

a plurality of status indicators where at least one of the status

indicators associated with each of the buffers (e.g. fig. 5A, els. 502, 505), and one of the

bus transactions attempting to modify one of the cache lines is retried (e.g., col. 25,

lines 61-64; and col. 27, lines 32-45).

Vogt does not specifically show the status indicators indicating that one of

the bus transactions attempting to modify one of the cache lines is retried. Gilbert

shows the use of status indicators indicating that one of the bus transactions attempting

to modify one of the cache lines is retried (e.g., fig. 8C, els. 110-122; col. 9, line 63-65

and col. 11, lines 9-24; and fig. 7, el. 76; col. 7, line 5 and col. 9, lines 48-52). It would

have been obvious to one of ordinary skill in the art at the time the invention was made

to combine Gilbert with Vogt because it would provide guaranteed forward progress of

processor requests for data by preventing other processors from accessing data until

the processor request is satisfied as taught by Gilbert col.2, lines 41-50.

As per claim 18, Vogt shows the use of the buffer manager further comprises

logic to determine a type of bus transaction occurring on a bus (e.g. fig. 5A, el. 505 and

col. 26, lines 24-27).

As per claim 19, Vogt shows the use of the buffer manager further comprises

logic to determine if two of the bus transactions are contending for a same cache line

(e.g. fig. 5B, els. 510 and col. 14, lines 10-30, col. 27, line 22 to col. 28, line 16).

As per claim 20, Vogt does not explicitly show logic to reset all of the plurality of

status indicators. Gilbert shows logic to reset all of the plurality of status indicators

(e.g., fig. 8C, els. 124 or 122; col. 2, lines 51-60; and col. 11, lines 9-30, where all the

status flag can be reset at different times). It would have been obvious to one of

ordinary skill in the art at the time the invention was made to combine Gilbert with Vogt

because it would provide guarantee forward progress of processor requests for data by

preventing other processors from accessing data until the processor request is satisfied

and by limiting the amount of time that other processors are prevented from accessing

the data as taught by Gilbert col. 2, line 41 to col. 3, line 8.

As per claim 21, Vogt shows the use of 64 buffers and 64 status indicators (e.g.

figure 5A, els 500 and 502, 505 and col. 26, lines 15-20).

7.   Applicant's arguments filed 8/26/04 have been fully considered but they are not

persuasive.

8.   In the remarks, the applicant's argued (1) that the cited references fails to teach

or suggest "setting a status bit to indicate that a bus transaction attempting to modify the

shared resource is pending; and retrying each subsequent nonmodifying bus

transaction bus transaction for the shared resource if the status bit is cleared," claim 1

        The examiner disagreed with the applicant's arguments (1) because the cited

references teach the recited elements of claim 1. As stated in the rejections above,

Gilbert shows a method in multiprocessor system (e.g. figs. 1-2 and 6-8C), the method

comprising:

        identifying a first bus transaction that attempts to modify a shared resource (e.g.

fig. 7, el. 76, col. 7, line 5 and col. 9, lines 48-52);

setting a status flag to indicate that a bus transaction attempting to modify the

shared resource is pending (e.g., fig. 8C, el. 110; and col. 9, line 63-65 and col. 11, lines

9-20); and

retrying each subsequent nonmodifying bus transaction for the shared resource

until the status flag is cleared (e.g. fig. 8C, els. 114-118 and 122; and col. 11, lines 9-20

and col. 9, lines 14-18).

Gilbert does not specifically show the use of the status flag as a bit and

preventing live-lock. Arimilli shows the use of a flag as a bit (e.g. col. 3, lines 8-12; and

figure 3, element 318 and col. 8, lines 36-44) and preventing live-lock (e.g., col. 2, lines

43-50 and col. 3, lines 1-3). It would have been obvious to one of ordinary skill in the art

at the time the invention was made to apply the teaching of Arimilli to the teaching of

Gilbert because it would provide for the storage of the flag (i.e., maintaining the integrity

of the flag), minimizing the storage requirements of the system by using a bit, especially

when the flag is used to show the use of one state or the other (i.e., two states) and

allow other traffic to proceed and alleviate the prospect of a live-lock as taught by

Arimilli, col. 3, lines 1-3.

9.   In the remarks, the applicant's argued (2) that the cited references fail to teach or

suggest identifying bus transactions that attempt to modify a shared resource as recited

in claims 1, 7, 10, 15, and 17 and then retrying each subsequent nonmodifying bus

transaction as recited in claims 1 and 7 because the hold flag taught by Gilbert is used

to cause any request from other nodes for the data to be rejected while the hold flag is set.

The examiner disagrees with the applicant's arguments (2), while Gilbert teaches the status (i.e., hold) flag is used to cause any request to retry while the status flag is set, Gilbert also, teaches the status flag is used to cause a read (i.e., nonmodifying) request to retry while the status flag is set as claimed (e.g., fig. 8C, el. 116 and col. 9, lines 14-18). Since the applicant's claimed language does not exclude the other requests Gilbert reads on the claimed limitations. Therefore, the cited references teach identifying bus transaction that attempt to modify a shared resource as recited in claims 1, 7, 10, 15, and 17 and then retrying each subsequent nonmodifying bus transaction as recited in claims 1 and 7

10.   In the remarks, the applicant's argued (3) that cited references did not teach "setting a status bit to indicate that a bus transaction attempting to modify the cache line is pending; issuing a second bus transaction to read the cache line; retrying the second bus transaction bus transaction if the status bit is set," claim 7

The examiner disagreed with the applicant's arguments (3) because the combination of Gilbert and Arimilli references teaches all the elements of the claimed invention as stated in the rejections. In particular, As per claim 7, Gilbert shows the use of a method in a multiprocessor system, the method comprising (e.g. figures 1-2 and 6-8C):

issuing a first bus transaction that attempts to modify a cache line (fig. 6, el. 50;

fig. 7, el. 76; and col. 7, line 5 and col. 9, lines 48-52);

setting a status flag to indicate that a bus transaction attempting to modify the

cache line is pending (e.g., fig. 8C, el. 110; and col. 9, line 63-65 and col. 11, lines 9-20)

issuing a second bus transaction to read the cache line (e.g., fig. 8C, el. 112 and

col. 9, lines 16-18);

retrying the second bus transaction if the status flag is set (e.g. fig. 8C, els. 114-

116));

reissuing the first bus transaction that attempts to modify the cache line (e.g., fig.

8C, el. 120 and col. 11, lines 20);

granting the cache line for the reissued first bus transaction if the status flag is

set for the cache line (e.g., fig. 8C, el. 122 and col. 11, lines 9-21).

Gilbert does not specifically show the use of the status flag as a bit and

preventing live-lock. Arimilli shows the use of a flag as a bit (e.g. col. 3, lines 8-12; and

figure 3, element 318 and col. 8, lines 36-44) and preventing live-lock (e.g., col. 2, lines

43-50 and col. 3, lines 1-3). It would have been obvious to one of ordinary skill in the art

at the time the invention was made to apply the teaching of Arimilli to the teaching of

Gilbert because it would provide for the storage of the flag (i.e., maintaining the integrity

of the flag), minimizing the storage requirements of the system by using a bit, especially

when the flag is used to show the use of one state or the other (i.e., two states) and

allow other traffic to proceed and alleviate the prospect of a live-lock as taught by

Arimilli, col. 3, lines 1-3.

In further discussion, Gilbert, col. 11, lines 9-25, teaches when the status flag is

set, the particular bus request transaction to the data line pending and the subsequent

bus transactions from the other nodes for the same cache line (i.e., bus transaction after

the pending request) should be retried until the status flag is clear. According to fig. 8C,

Gilbert shows when the status (i.e. hold) flag is set, retrying each subsequent bus

transaction (e.g., els. 112-116); and when the status flag is clear, allowing accessing

data to a bus transaction (e.g., els 118). As applicant's notice (Applicant's amendment

filed 5/2/03, page 9, lines 5-6) that Gilbert at col. 9, lines 14-18, teaches a bus request

transaction from the other processors can be reading the data line (i.e., nonmodifying

bus transaction). Arimilli shows the use of a flag as a bit (e.g. col. 3, lines 8-12; and

figure 3, element 318 and col. 8, lines 36-44) and preventing live-lock (e.g., col. 2, lines

43-50 and col. 3, lines 1-3. Therefore, the cited references teach setting a status bit to

indicate that a bus transaction attempting to modify the cache line is pending; issuing a

second bus transaction to read the cache line; retrying the second bus transaction bus

transaction if the status bit is set.

11.   In the remarks, the applicant's argued (4) that the cited references did not teach

"a status indicator associated with each one of the plurality of buffers, the status

indicator to indicate when a first one of the processors initiates a bus transaction

attempting to modify the shared resource and the bus transaction is retried", claim 10

and "a status indicator associated with each one of the plurality of buffers, the status

indicator to indicate when a first one of the processors initiates a bus transaction attempting to modify the system memory and the bus transaction is retried" claim15.

The examiner disagreed with the applicant's arguments (4) because the combination of Vogt and Gilbert references teaches the claimed limitation as stated in the rejections. In particular, Vogt shows the use of a multiple bus, multiprocessor computer system (e.g., fig. 1, els 102, 104, and 112) comprising:

a status indicator associated with each of the plurality of buffers (e.g. col. 26, lines 16-27; col. 28, lines 24-26), and a first one of the processors initiates a bus transaction attempting to modify the shared resource or the system memory and the bus transaction is retried (e.g., col. 25, lines 61-64; and col. 27, lines 32-45).

Vogt does not specifically show the status indicator to indicate when a first one of the processors initiates a bus transaction attempting to modify the shared resource. Gilbert shows the use of a status indicator to indicate when a first one of the processors initiates a bus transaction attempting to modify the shared resource or the system memory (e.g., fig. 8C, el. 110; col. 9, line 63-65 and col. 11, lines 9-20; and fig. 7, el. 76; col. 7, line 5 and col. 9, lines 48-52). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Gilbert with Vogt because it would provide guaranteed forward progress of processor requests for data by preventing other processors from accessing data until the processor request is satisfied as taught by Gilbert col.2, lines 41-50.

In further discussion, according to Gilbert, when the status (i.e., hold) flag is set, indicating a first processor initiating a bus request transaction to the data line (e.g., fig.

8C, els. 120-122 and col. 11, lines 9-21) and the cache line is granted when the bus

request transaction is retried (e.g., fig. 8C, els 120-122 and col. 11, lines 9-21). Also,

Gilbert teaches the request can be a write request (e.g., col. 9, lines 48-52).

12.   In the remarks, the applicant's argued (5) that the cited references did not teach

"a plurality of status indicators to indicate that one of the bus transactions attempting to

modify one of the cache lines is retried, at least one of the status indicators associated

with each one of the buffers" claim 17.

The examiner disagreed with the applicant's arguments (5) because the

combination of Vogt and Gilbert references teaches the claimed limitation as stated in

the rejections.   In particular, Vogt shows the use of an integrated circuit (e.g., fig. 2, el.

130 and col. 18, lines 43-46) comprising:

a plurality of status indicators where at least one of the status indicators

associated with each of the buffers (e.g. fig. 5A, els. 502, 505), and one of the bus

transactions attempting to modify one of the cache lines is retried (e.g., col. 25, lines 61-

64; and col. 27, lines 32-45).

Vogt does not specifically show the status indicators indicating that one of the

bus transactions attempting to modify one of the cache lines is retried. Gilbert shows

the use of status indicators indicating that one of the bus transactions attempting to

modify one of the cache lines is retried (e.g., fig. 8C, els. 110-122; col. 9, line 63-65 and

col. 11, lines 9-24; and fig. 7, el. 76; col. 7, line 5 and col. 9, lines 48-52). It would have

been obvious to one of ordinary skill in the art at the time the invention was made to

combine Gilbert with Vogt because it would provide guaranteed forward progress of

processor requests for data by preventing other processors from accessing data until

the processor request is satisfied as taught by Gilbert col.2, lines 41-50.

In further discussion, according to Gilbert, when the status (i.e., hold) flag is set,

indicating the bus request transaction is retried to the data line (e.g., fig. 8C, els. 120-

122 and col. 11, lines 9-21; and col. 10, line 60 to col. 11, line 20) and the status flag is

clear when the bus request transaction is retried (e.g., fig. 8C, els 120-122 and col. 11,

lines 9-21). Also, Gilbert teaches the request can be a write request (e.g., col. 9, lines

48-52).

13.   In the remarks, the applicant's argued (6) that the Office Action has not provided

objective evidence for a suggestion to combined the references.

In response to applicant's argument (6) that there is no suggestion to combine

the references, the examiner recognizes that obviousness can only be established by

combining or modifying the teachings of the prior art to produce the claimed invention

where there is some teaching, suggestion, or motivation to do so found either in the

references themselves or in the knowledge generally available to one of ordinary skill in

the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988)and *In re

Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, the motivations

are not mere conclusory statements and in fact are motivations. Evidence for the

suggestion or motivation to combine comes from the references relied upon and the

knowledge of one skilled in the art. Gilbert does not specifically show the use of the

status flag as a bit and preventing live-lock. Arimilli shows the use of a flag as a bit (e.g.
col. 3, lines 8-12; and figure 3, element 318 and col. 8, lines 36-44) and preventing live-
lock (e.g., col. 2, lines 43-50 and col. 3, lines 1-3). It would have been obvious to one of
ordinary skill in the art at the time the invention was made to apply the teaching of
Arimilli to the teaching of Gilbert because it would provide for the storage of the flag
(i.e., maintaining the integrity of the flag), minimizing the storage requirements of the
system by using a bit, especially when the flag is used to show the use of one state or
the other (i.e., two states) (knowledge generally available to one of ordinary skill in the
art) and allow other traffic to proceed and alleviate the prospect of a live-lock as taught
by Arimilli, col. 3, lines 1-3.

Also, Vogt does not specifically show the status indicators indicating that one of
the bus transactions attempting to modify one of the cache lines is retried. Gilbert
shows the use of status indicators indicating that one of the bus transactions attempting
to modify one of the cache lines is retried (e.g., fig. 8C, els. 110-122; col. 9, line 63-65
and col. 11, lines 9-24; and fig. 7, el. 76; col. 7, line 5 and col. 9, lines 48-52). It would
have been obvious to one of ordinary skill in the art at the time the invention was made
to combine Gilbert with Vogt because it would provide guaranteed forward progress of
processor requests for data by preventing other processors from accessing data until
the processor request is satisfied as taught by Gilbert col.2, lines 41-50.

14.   The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

Gujral (6,032,231) shows retrying requests;

15.   Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Denise Tran whose telephone number is (571) 272-

4189. The examiner can normally be reached on Monday, Thursday, and Friday from

8:30 a.m. to 5:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Matt Kim, can be reached on (571)272-4182. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Denise Tran

Denise Tran

11/13/04